

INTERCULTIVATOR / POWER WEEDER

AM-RT-212-7P

AM-RT-212-7P-WL

ENGINE DIAGRAM WITH PART LIST



ENGINE ASSY - A

| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|----------------|----------------------------|-------|---------|-------------|
| 1 | AM-170FPK-EA01 | HEAD ASSY | | | |
| 2 | AM-170FPK-EA02 | CRANKCASE ASSY | | | |
| 3 | AM-170FPK-EA03 | CRANKCASE COVER ASSY | | | |
| 4 | AM-170FPK-EA04 | CRANK-CONNECTING ROD ASSY | | | |
| 5 | AM-170FPK-EA05 | VALVE TRAIN ASSY | | | |
| 6 | AM-170FPK-EA06 | STAR ASSY | | | |
| 7 | AM-170FPK-EA07 | FLYWHEEL AND IGNITION ASSY | | | |
| 8 | AM-170FPK-EA08 | INLET ASSY | | | |
| 9 | AM-170FPK-EA09 | CARBURETOR CIRCUIT ASSY | | | |
| 10 | AM-170FPK-EA10 | THROTTLE CONTROL ASSY | | | |
| 11 | AM-170FPK-EA11 | WIND DEFLECTOR | | | |
| 12 | AM-170FPK-EA12 | FULE OIL ASSY | | | |
| 13 | AM-170FPK-EA13 | EXHAUST ASSY | | | |
| 14 | AM-170FPK-EA14 | START MOTOR ASSY | | | |
| | | | | | |
| | | | | | |


HEAD ASSAMBLY-B

| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|----------------|----------------------|-------|---------|-------------|
| 1 | AM-170FPK-EB01 | HEAD COVER | | | |
| 2 | AM-170FPK-EB02 | BOLT | | | |
| 3 | AM-170FPK-EB03 | HEAD COVER GASKET | | | |
| 4 | AM-170FPK-EB04 | BOLT | | | |
| 5 | AM-170FPK-EB05 | SPARK PLUG | | | |
| 6 | AM-170FPK-EB06 | STUD | | | |
| 7 | AM-170FPK-EB07 | STUD | | | |
| 8 | AM-170FPK-EB08 | CYLINDER HEAD ASSY | | | |
| 9 | AM-170FPK-EB09 | CYLINDER HEAD GASKET | | | |
| 10 | AM-170FPK-EB10 | DOWEL PIN | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

CRANK CASE ASSY-C

| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|-----------------|---------------------------|-------|----------------|------------------|
| 1.1 | AM-170FPK-EC1.1 | CRANKCASE COMP | 10 | AM-170FPK-EC10 | DRAIN PLUG BOLT |
| 1.2 | AM-170FPK-EC1.2 | CRANKCASE COMP | 11 | AM-170FPK-EC11 | OIL SEAL |
| 2 | AM-170FPK-EC02 | GOVERNOR ARM SHAFT | 12 | AM-170FPK-EC12 | OIL SEAL |
| 3 | AM-170FPK-EC03 | GOVERNOR ARM SHAFT LOCKER | 13 | AM-170FPK-EC13 | START MOTOR ASSY |
| 4 | AM-170FPK-EC04 | PLAIN WASHER | 14 | AM-170FPK-EC14 | BOLT |
| 5 | AM-170FPK-EC05 | GOVERNOR KIT | 15 | AM-170FPK-EC15 | DOWEL PIN |
| 6 | AM-170FPK-EC06 | OIL SENSOR | | | |
| 7 | AM-170FPK-EC07 | BOLT | | | |
| 8 | AM-170FPK-EC08 | BEARING | | | |
| 9 | AM-170FPK-EC09 | PLAIN WASHER | | | |

CRANK CASE COVER ASSY-D



| SL NO | PART NO | DESCRIPTION |
|-------|----------------|-----------------------|
| 1 | AM-170FPK-ED01 | CRANKCASE COVER |
| 2 | AM-170FPK-ED02 | OIL FILLER PLUG ASSY |
| 3 | AM-170FPK-ED03 | DIPSTICK SEALING RING |
| 4 | AM-170FPK-ED04 | OIL FILLER PLUG |
| 5 | AM-170FPK-ED05 | BOLT |
| 6 | AM-170FPK-ED06 | OIL SEAL |
| 7 | AM-170FPK-ED07 | DIPSTICK ASSY |
| 8 | AM-170FPK-ED08 | DIPSTICK |
| 9 | AM-170FPK-ED09 | BEARING |
| 10 | AM-170FPK-ED10 | CASE COVER GASKET |
| 11 | AM-170FPK-ED11 | DOWEL PIN |

CRANK CONNECTING ROD ASSY - E

| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|----------------|----------------------|-------|---------|-------------|
| 1 | AM-170FPK-EE01 | CRANK SHAFT ASSY | | | |
| 2 | AM-170FPK-EE02 | SPECIAL WOODRUFF KEY | | | |
| 3 | AM-170FPK-EE03 | CRANK SHAFT | | | |
| 4 | AM-170FPK-EE04 | CONNECTING ROD ASSY | | | |
| 5 | AM-170FPK-EE05 | PISTON | | | |
| 6 | AM-170FPK-EE06 | CLIP PISTON PIN | | | |
| 7 | AM-170FPK-EE07 | PIN PISTON | | | |
| 8 | AM-170FPK-EE08 | PISTON RING ASSY | | | |
| 9 | AM-170FPK-EE09 | FILM LOOP | | | |
| 10 | AM-170FPK-EE10 | BUSH RING | | | |
| 11 | AM-170FPK-EE11 | GAS RING TWO | | | |
| 12 | AM-170FPK-EE12 | GAS RING ONE | | | |


VALVE TRAIN ASSY - F


| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|----------------|-----------------------|-------|----------------|---------------------------|
| 1 | AM-170FPK-EF01 | CAMSHAFT ASSY | 10 | AM-170FPK-EF10 | INLET VALVE |
| 2 | AM-170FPK-EF02 | VALVE LIFTER | 11 | AM-170FPK-EF11 | EXHAUST VALVE |
| 3 | AM-170FPK-EF03 | PUSH ROD | 12 | AM-170FPK-EF12 | VALVE SEAL |
| 4 | AM-170FPK-EF04 | PUSH ROD GUIDE PLATE | 13 | AM-170FPK-EF13 | VALVE SPRING |
| 5 | AM-170FPK-EF05 | VALVE ROCKER ARM ASSY | 14 | AM-170FPK-EF14 | INTAKE VALVE SPRING SEAT |
| 6 | AM-170FPK-EF06 | PIVOT BOLT | 15 | AM-170FPK-EF15 | EXHAUST VALVE SPRING SEAT |
| 7 | AM-170FPK-EF07 | VALVE ROCKER ARM | 16 | AM-170FPK-EF16 | EX. VALVE ADJUSTER |
| 8 | AM-170FPK-EF08 | VALVE ADJUSTING NUT | | | |
| 9 | AM-170FPK-EF09 | PIVOT LOCKING NUT | | | |

STARTER ASSY - G

| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|----------------|------------------------|-------|----------------|---------------------------|
| 1 | AM-170FPK-EG01 | RECOIL STARTER ASSY | 10 | AM-170FPK-EG10 | RETURN SPRING |
| 2 | AM-170FPK-EG02 | WIND SCOOPER | 11 | AM-170FPK-EG11 | RECOIL STARTER REEL |
| 3 | AM-170FPK-EG03 | BOLT | 12 | AM-170FPK-EG12 | STARTER RETURN SPRING |
| 4 | AM-170FPK-EG04 | ENGINE STOP SWITH ASSY | 13 | AM-170FPK-EG13 | RECOIL STARTER COVER COMP |
| 5 | AM-170FPK-EG05 | RECOIL STARTER COMP | 14 | AM-170FPK-EG14 | RECOIL STARTER ROPE |
| 6 | AM-170FPK-EG06 | CENTER POSITION BOLT | 15 | AM-170FPK-EG15 | HANDLE STARTER |
| 7 | AM-170FPK-EG07 | GUIDE RATCHET | 16 | AM-170FPK-EG16 | RECOIL STARTER ASSY |
| 8 | AM-170FPK-EG08 | CENTER POSITION SPRING | 17 | AM-170FPK-EG17 | BOLT |
| 9 | AM-170FPK-EG09 | STARTER RATCHET | | | |
| | | | | | |


INLET ASSY - H






| SL NO | PART NO | DESCRIPTION |
|-------|----------------|--------------------|
| 1 | AM-170FPK-EH01 | AIR INTAKE WASHER |
| 2 | AM-170FPK-EH02 | INSULATOR |
| 3 | AM-170FPK-EH03 | CARBURETOR PACKING |
| 4 | AM-170FPK-EH04 | CARBURETOR |
| 5 | AM-170FPK-EH05 | AIR CLEANER GASKET |
| 6 | AM-170FPK-EH06 | AIR CLEANER ASSY |
| 7 | AM-170FPK-EH07 | AIR CLEANER ASSY |
| 8 | AM-170FPK-EH08 | BOLT |
| 9 | AM-170FPK-EH09 | NUT |

AIR FILTER ASSY - J



| SL NO | PART NO | DESCRIPTION |
|-------|----------------|---------------------------------|
| 1 | AM-170FPK-EJ01 | AIR CLEANER ASSY |
| 2 | AM-170FPK-EJ02 | AIR CLEANER CASE |
| 3 | AM-170FPK-EJ03 | WASTE GAS PIPE |
| 4 | AM-170FPK-EJ04 | PACKING |
| 5 | AM-170FPK-EJ05 | Air filter oil filter oil cup |
| 6 | AM-170FPK-EJ06 | AIR CLEANER SPENGE ELEMENT |
| 7 | AM-170FPK-EJ07 | AIR CLEANER SPENGE ELEMENT |
| 8 | AM-170FPK-EJ08 | SEAL COVER |
| 9 | AM-170FPK-EJ09 | AIR CLEANER SPENGE ELEMENT |
| 10 | AM-170FPK-EJ10 | BUTTERFLY NUT |
| 11 | AM-170FPK-EJ11 | AIR CLEANER COVER |
| 12 | AM-170FPK-EJ12 | Air filter cover locking handle |


CARBURETOR CIRCUIT ASSY - K



| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|----------------|-------------------------|-------|----------------|--------------------|
| 1 | AM-170FPK-EK01 | CARBURETOR | 12 | AM-170FPK-EK12 | FUEL SWITCH SEAL |
| 2 | AM-170FPK-EK02 | CHOKE PLATE HANDLE | 13 | AM-170FPK-EK13 | SEDIMENT BOWL SEAL |
| 3 | AM-170FPK-EK03 | IDLE HOLE COMPONENT | 14 | AM-170FPK-EK14 | SEDIMENT BOWL |
| 4 | AM-170FPK-EK04 | PILOT JET SET | 15 | AM-170FPK-EK15 | FLOAT SET |
| 5 | AM-170FPK-EK05 | PIN | 16 | AM-170FPK-EK16 | FLOAT CHAMBER SET |
| 6 | AM-170FPK-EK06 | MAIN NOZZLE | 17 | AM-170FPK-EK17 | WASHER |
| 7 | AM-170FPK-EK07 | MAIN JET | 18 | AM-170FPK-EK18 | GASKET |
| 8 | AM-170FPK-EK08 | SCREW | 19 | AM-170FPK-EK19 | DRAIN PLUG BOLT |
| 9 | AM-170FPK-EK09 | FUEL SWITCH COVER PLATE | 20 | AM-170FPK-EK20 | BOLT |
| 10 | AM-170FPK-EK10 | WASHER | 21 | AM-170FPK-EK21 | CHOKE SHAFT |
| 11 | AM-170FPK-EK11 | FUEL SWITCH HANDLE | | | |


г

THROTTLE CONTROL ASSY - L




| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|----------------|------------------------|-------|------------------|------------------|
| 1 | AM-170FPK-EL01 | GOVERNOR ARM | 9 | AM-170FPK-EL09 | BOLT |
| 2 | AM-170FPK-EL02 | T-SHAPE BOLT | 10 | AM-170FPK-EL10 | SCREW |
| 3 | AM-170FPK-EL03 | NUT | 11 | AM-170FPK-EL10.1 | WIRE TERMINAL |
| 4 | AM-170FPK-EL04 | TIE ROD | 12 | AM-170FPK-EL10.2 | WIRE TERMINAL |
| 5 | AM-170FPK-EL05 | FINE ADJUSTMENT SPRING | 13 | AM-170FPK-EL11 | BOLT |
| 6 | AM-170FPK-EL06 | GOVERNING SPRING | 14 | AM-170FPK-EL12 | PRESS LINE BOARD |
| 7 | AM-170FPK-EL07 | CONTROL ASSY | 15 | AM-170FPK-EL13 | SPLIT WASHER |
| 8 | AM-170FPK-EL08 | CONTROL ASSY | | | |
| | | | | | |

FLYWHEEL AND IGNITION ASSY-M



FLYWHEEL AND IGNITION ASSY -M




| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|-----------------|------------------|-------|----------------|------------------|
| 1 | AM-170FPK-EM01 | IGNITION | 8 | AM-170FPK-EM08 | NUT |
| 2 | AM-170FPK-EM02 | IGNITION CAP | 9 | AM-170FPK-EM09 | CHARGE COIL ASSY |
| 3 | AM-170FPK-EM03 | CORD STOP SWITCH | 10 | AM-170FPK-EM10 | NUT |
| 4 | AM-170FPK-EM04 | BOLT | 11 | AM-170FPK-EM11 | CLAMPING PLATE |
| 5.1 | AM-170FPK-EM5.1 | FLYWEEL | 12 | AM-170FPK-EM12 | NUT |
| 5.2 | AM-170FPK-EM5.2 | FLYWEEL | | | |
| 6 | AM-170FPK-EM06 | COOLING FAN | | | |
| 7 | AM-170FPK-EM07 | STARTER PULLEY | | | |
| | | | | | |

EXHAUST ASSY - N


| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|-----------------|--------------------|----------|---------|-------------|
| 1 | AM-170FPK-EN01 | MUFFLER COMP | | | |
| 2 | AM-170FPK-EN02 | MUFFLER COMP | | | |
| 3 | AM-170FPK-EN03 | GUIDING COVER | | | |
| 4 | AM-170FPK-EN04 | SCREW | | | |
| 5.1 | AM-170FPK-EN5.1 | FLYWHEEL | | | |
| 5.2 | AM-170FPK-EN5.2 | FLYWHEEL | | | |
| 6 | AM-170FPK-EN6 | BOLT | | | |
| 7 | AM-170FPK-EN7 | BOLT | | | |
| 8 | AM-170FPK-EN8 | AIR EXHAUST WASHER | | | |
| 9 | AM-170FPK-EN9 | NUT | | | |
| 10 | AM-170FPK-EN10 | SPRING WASHER | | | |
| | | | | | |
| | | | <u> </u> | | |
| | | | | | |
| | | | | | |

FULE OIL ASSY-P



| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|-----------------|----------------------|-------|---------|-------------|
| 1.1 | AM-170FPK-EP1.1 | TANK FUEL COMP | | | |
| 1.2 | AM-170FPK-EP1.2 | TANK FUEL COMP | | | |
| 2 | AM-170FPK-EP02 | FUEL FILLER CAP COMP | | | |
| 3 | AM-170FPK-EP03 | FUEL FILLER PACKING | | | |
| 4 | AM-170FPK-EP04 | FILTER FUEL | | | |
| 5 | AM-170FPK-EP5.1 | FUEL TANK | | | |
| 6 | AM-170FPK-EP5.2 | FUEL TANK | | | |
| 7 | AM-170FPK-EP06 | PACKING | | | |
| 8 | AM-170FPK-EP07 | FUEL TANK JOINT | | | |
| 9 | AM-170FPK-EP08 | TUBE CLIP | | | |
| 10 | AM-170FPK-EP09 | FUEL TUBE | | | |
| 11 | AM-170FPK-EP10 | BOLT | | | |
| | | | | | |
| | | | | | |

WIND DEFECLECTOR - Q



| SL NO | PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
|-------|----------------|--------------------|-------|---------|-------------|
| 1 | AM-170FPK-EQ01 | WINDSHIELD | | | |
| 2 | AM-170FPK-EQ02 | BOLT | | | |
| 3 | AM-170FPK-EQ03 | SHROUD COMP | | | |
| 4 | AM-170FPK-EQ04 | PROTECTIVE BREAKER | | | |
| | | | | | |

REDUCTION ASSY - R

| | | | T | |
|----------------|--|---|--|--|
| PART NO | DESCRIPTION | SL NO | PART NO | DESCRIPTION |
| AM-170FPK-ER01 | CRANKCASE COVER ASSY | 10 | AM-170FPK-ER10 | PACKING |
| AM-170FPK-ER02 | DRIVE SPROCKET WHEEL | 11 | AM-170FPK-ER11 | REDUCTION GEARBOX COVER |
| AM-170FPK-ER03 | WASHER | 12 | AM-170FPK-ER12 | BOLT |
| AM-170FPK-ER04 | BOLT | 13 | AM-170FPK-ER13 | OIL SEAL |
| AM-170FPK-ER05 | CHAIN COMP | 14 | AM-170FPK-ER14 | BOLT |
| AM-170FPK-ER06 | DOWEL PIN | 15 | AM-170FPK-ER15 | SCREW |
| AM-170FPK-ER07 | BEARING | 16 | AM-170FPK-ER16 | WASHER |
| AM-170FPK-ER08 | DRIVEN SPROCKET WHEEL | 17 | AM-170FPK-ER17 | CRANK SHAFT ASSY |
| AM-170FPK-ER09 | BEARING | | | |
| | | | | |
| | AM-170FPK-ER01 AM-170FPK-ER02 AM-170FPK-ER03 AM-170FPK-ER04 AM-170FPK-ER05 AM-170FPK-ER06 AM-170FPK-ER07 | AM-170FPK-ER01 CRANKCASE COVER ASSY AM-170FPK-ER02 DRIVE SPROCKET WHEEL AM-170FPK-ER03 WASHER AM-170FPK-ER04 BOLT AM-170FPK-ER05 CHAIN COMP AM-170FPK-ER06 DOWEL PIN AM-170FPK-ER07 BEARING AM-170FPK-ER08 DRIVEN SPROCKET WHEEL | AM-170FPK-ER01 CRANKCASE COVER ASSY 10 AM-170FPK-ER02 DRIVE SPROCKET WHEEL 11 AM-170FPK-ER03 WASHER 12 AM-170FPK-ER04 BOLT 13 AM-170FPK-ER05 CHAIN COMP 14 AM-170FPK-ER06 DOWEL PIN 15 AM-170FPK-ER07 BEARING 16 AM-170FPK-ER08 DRIVEN SPROCKET WHEEL 17 | AM-170FPK-ER01 CRANKCASE COVER ASSY 10 AM-170FPK-ER10 AM-170FPK-ER02 DRIVE SPROCKET WHEEL 11 AM-170FPK-ER11 AM-170FPK-ER03 WASHER 12 AM-170FPK-ER12 AM-170FPK-ER04 BOLT 13 AM-170FPK-ER13 AM-170FPK-ER05 CHAIN COMP 14 AM-170FPK-ER14 AM-170FPK-ER06 DOWEL PIN 15 AM-170FPK-ER15 AM-170FPK-ER07 BEARING 16 AM-170FPK-ER16 AM-170FPK-ER08 DRIVEN SPROCKET WHEEL 17 AM-170FPK-ER17 |

WARRANTY CARD

CUSTOMER COPY

| DATE | DATE OF DELIVERY | DEALERS OFFICIAL SEAL | DEALERS SIGN | |
|---|---|---|--------------|--|
| PURCHASERS NAME & ADDRESS | | |] | |
| | CUSTOMER SIGN | | | |
| | | |] | |
| PRODUCT NAME | PRODUCT SERIAL NO. | INVOICE/DN NO. | | |
| | | | | |
| I/Will accept the ter | ms and conditions of warranty as in the warran | nty card | | |
| • | DEALERS COPY | • | ••••• | |
| DATE | DATE OF DELIVERY | DEALERS OFFICIAL SEAL | DEALERS SIGN | |
| PURCHASERS NAME & ADDRESS | | | | |
| | — CUSTOMER SIGN | | | |
| | | | | |
| PRODUCT NAME | PRODUCT SERIAL NO. | INVOICE/DN NO. | | |
| | | | | |
| I/Will accept the term | s and conditions of warranty as in the warrant | y card | | |
| | COMPANY COPY | DEALERS OFFICIAL OF AL | DEALERS SIGN | |
| DATE | DATE OF DELIVERY | DEALERS OFFICIAL SEAL | DEALERS SIGN | |
| PURCHASERS NAME & ADDRESS | | | | |
| | CUSTOMER SIGN | | | |
| | | | | |
| PRODUCT NAME | PRODUCT SERIAL NO. | INVOICE/DN N | 1O. | |
| | | | | |
| | | | | |
| _ := :=:44 | ns and conditions of warranty as in the warrant | , | | |

1.LIMITED WARRANTY PERIOD: For a period of six months from the date of Sale / delivery of the product which ever is earlier. 2. LIMITED WARRANTY OBLIGATION: Replacement of defective part(s) by authorized dealer are free of charges. If found defective by reasons of defective material / poor workmanship, parts will be replaced and there will be no value re-imbursement. 3. TERMS & CONDITIONS: a. Claims under warranty will be accepted on submission of Warranty Card duly filled and stamped by authorized dealer together with the original purchase document.: b. Shipping / transportation / Incidental charges incurred in replacing defective parts under warranty shall be borne by the purchaser


WARRANTY null & void if

- (i) Lack of maintenance, (ii) Incorrect use of the machine or tampering, (iii) Use of non-genuine spare parts, (iv) Usage of acids, solvents, or any flammable materials, (v) Non-usage of filter water / clear water / soft water & using water above 40°C temperature, (vi) While using the pressure washers to draw water which is contaminated with dust & solvents (eg. paint thinners, gasoline, oil, etc.), (vii) Repair done by unauthorized service people, (viii) Those parts subject to wear & tear due to normal operations and plastic parts, rubber items etc., (ix) Loose connections, faulty electrical fixtures & fluctuations in power supply.
- 4. Should any failure occur during or after the warranty period, customer does not have the right to interrupt payment / price discount.
- 5. Incidental or consequential damages like inconvenience commercial loss, loss of tie, mental agony etc.
- 6. Loss of any nature due to operation or non-operation is not covered under warranty.
- 7. All free service are at Dealer's service point only.
- 8. Warranty ceases if service is not done periodically.
- 9. The attached card should be completed and returned to Ratnagiri Impex Pvt. Ltd. for registration immediately after sale / delivery.
- 10. The warranty is void unless you register the warranty card with Ratnagiri Impex Pvt. Ltd.
- 11. The decision of Ratnagiri Impex Pvt. Ltd., in settling the warranty is final in all respects.
- 12. All disputes are subject to Bangalore Courts Jurisdiction
- 1. LIMITED WARRANTY PERIOD: For a period of six months from the date of Sale / delivery of the product which ever is earlier. 2. LIMITED WARRANTY OBLIGATION: Replacement of defective part(s) by authorized dealer are free of charges. If found defective by reasons of defective material / poor workmanship, parts will be replaced and there will be no value re-imbursement. 3. TERMS & CONDITIONS: a. Claims under warranty will be accepted on submission of Warranty Card duly filled and stamped by authorized dealer together with the original purchase document.: b. Shipping / transportation / Incidental charges incurred in replacing defective parts under warranty shall be borne by the purchaser. WARRANTY null & void if
- (i) Lack of maintenance, (ii) Incorrect use of the machine or tampering, (iii) Use of non-genuine spare parts, (iv) Usage of acids, solvents, or any flammable materials, (v) Non-usage of filter water / clear water / soft water & using water above 40°C temperature, (vi) While using the pressure washers to draw water which is contaminated with dust & solvents (eg. paint thinners, gasoline, oil, etc.), (vii) Repair done by unauthorized service people, (viii) Those parts subject to wear & tear due to normal operations and plastic parts, rubber items etc., (ix) Loose connections, faulty electrical fixtures & fluctuations in power supply.
- 4. Should any failure occur during or after the warranty period, customer does not have the right to interrupt payment / price discount.
- 5. Incidental or consequential damages like inconvenience commercial loss, loss of tie, mental agony etc.
- 6. Loss of any nature due to operation or non-operation is not covered under warranty.
- 7. All free service are at Dealer's service point only.
- 8. Warranty ceases if service is not done periodically.
- 9. The attached card should be completed and returned to Ratnagiri Impex Pvt. Ltd. for registration immediately after sale / delivery.
- 10. The warranty is void unless you register the warranty card with Ratnagiri Impex Pvt. Ltd.
- 11. The decision of Ratnagiri Impex Pvt. Ltd., in settling the warranty is final in all respects.
- 12. All disputes are subject to Bangalore Courts Jurisdiction
- 1. LIMITED WARRANTY PERIOD: For a period of six months from the date of Sale / delivery of the product which ever is earlier. 2. LIMITED WARRANTY OBLIGATION: Replacement of defective part(s) by authorized dealer are free of charges. If found defective by reasons of defective material / poor workmanship, parts will be replaced and there will be no value re-imbursement. 3. TERMS & CONDITIONS: a. Claims under warranty will be accepted on submission of Warranty Card duly filled and stamped by authorized dealer together with the original purchase document.: b. Shipping / transportation / Incidental charges incurred in replacing defective parts under warranty shall be borne by the purchaser. WARRANTY null & void if
- (i) Lack of maintenance, (ii) Incorrect use of the machine or tampering, (iii) Use of non-genuine spare parts, (iv) Usage of acids, solvents, or any flammable materials, (v) Non-usage of filter water / clear water / soft water & using water above 40°C temperature, (vi) While using the pressure washers to draw water which is contaminated with dust & solvents (eg. paint thinners, gasoline, oil, etc.), (vii) Repair done by unauthorized service people, (viii) Those parts subject to wear & tear due to normal operations and plastic parts, rubber items etc., (ix) Loose connections, faulty electrical fixtures & fluctuations in power supply.
- 4. Should any failure occur during or after the warranty period, customer does not have the right to interrupt payment / price discount.
- 5. Incidental or consequential damages like inconvenience commercial loss, loss of tie, mental agony etc.
- 6. Loss of any nature due to operation or non-operation is not covered under warranty.
- 7. All free service are at Dealer's service point only.
- 8. Warranty ceases if service is not done periodically.
- 9. The attached card should be completed and returned to Ratnagiri Impex Pvt. Ltd. for registration immediately after sale / delivery.
- 10. The warranty is void unless you register the warranty card with Ratnagiri Impex Pvt. Ltd.
- 11. The decision of Ratnagiri Impex Pyt. Ltd., in settling the warranty is final in all respects.
- 12. All disputes are subject to Bangalore Courts Jurisdiction



| FREE SERVICE COUPON (30DAYS/30HRS. WHICHEVER IS EARLIER | | | | | | | | |
|---|---|--|--|--|--|--|--|--|
| MODEL | SERIAL NUMBER | | | | | | | |
| PDI DATE | SERVICE NO. PURCHASE BILL NO. DATE | | | | | | | |
| | | | | | | | | |
| DEALERS OFFICE SEA | AL OPERATIONS | | | | | | | |
| | 1. Check and test the fuel mixture 2. check and clean the air filter 3. Check, clean and adjust the spark plug 5. Check and sparken the cutting tools 6. Product familirisation on usage 7. Start and check the noise, vibration, loosen etc 8. Routine maintenance and shortage. | | | | | | | |
| | FREE SERVICE COUPON (30DAYS/30HRS. WHICHEVER IS EARLIER | | | | | | | |
| MODEL | SERIAL NUMBER | | | | | | | |
| PDI DATE | SERVICE NO. PURCHASE BILL NO. DATE | | | | | | | |
| | | | | | | | | |
| DEALERS OFFICE SEAL | OPERATIONS | | | | | | | |
| | 1. Check and test the fuel mixture 2. check and clean the air filter 3. Check, clean and adjust the spark plug 5. Check and sparken the cutting tools 6. Product familirisation on usage 7. Start and check the noise, vibration, loosen etc 8. Routine maintenance and shortage. | | | | | | | |
| FREE SERVICE COUPON (30DAYS/30HRS. WHICHEVER IS EARLIER | | | | | | | | |
| MODEL PDI DATE | SERIAL NUMBER SERVICE NO. PURCHASE BILL NO. DATE | | | | | | | |
| | DATE | | | | | | | |
| DEALERS OFFICE SEA | AL OPERATIONS | | | | | | | |
| | 1. Check and test the fuel mixture 2. check and clean the air filter 3. Check, clean and adjust the spark plug 5. Check and sparken the cutting tools 6. Product familirisation on usage 7. Start and check the noise, vibration, loosen etc 8. Routine maintenance and shortage. | | | | | | | |

DOS



DONTS

- 1. Always read the instruction manual supplied along with the equipments and understand the correct installation and operating procedures before attempting to use the equipments.
- 2. It is important to use the personal protection equipments such as head helmet with visor, ear defenders, goggles, safety gloves, cut resistant shoes, trousers and jackets while operating potentially dangerous machines
- B. Avoid untrained persons using the equipments. Children must not be allowed to handle these equipments
- 4. Always use genuine spares and accessories in repairs and usage to derive maximum life of the equipments.
- 5. Always keep the equipments in good working condition to minimize loss of output as well as to reduce the pollution and save the environment
- 6.Do not use the machine within range of persons unless they wear protective clothing
- 7. Do not operate the machine when fatigued or under the influence of alcohol or drugs
- 8. When the machine is running, please maintain a constant water supply. Without water circulation will damage the sealing rings of the machine.
- 9. For more query kindly contact for our Service Center/Dealer/ franchise

Agrimate Army For Pest Control

ANY WHERE - ANY TIME - ANY CROP
























RATNAGIRI IMPEX PVT., LTD.,

Annapurna House, #1 / 1G, 7th Cross, New Guddadahalli

Mysore Road, Bangalore - 560 026

Missed Call: 7393 938 938

Email: ask@agrimart.in