

KASEI BATTERY TEA HARVESTER

KZ-10MTH-LB




AN ISO 9001: 2015 CERTIFIES COMPANY

TECHNICAL SPECIFICATIONS

MODEL	KZ-10MTH-LB
Battery	24 voltage
Battery Lithium	10AH
Runtime	6-8 hour
Bar length	300mm
Motor Power	180W
Cut speed	2000 /Min

DIAGRAM & SPARE PARTS LIST OF KASEI TEA HARVESTER - BATTERY OPERATED



SL NO.	PART NO	DESCRIPTION	SL NO.	PART NO	DESCRIPTION
1	KZ-10MTH-LB-01	Gear box upper housing	17	KZ-10MTH-LB-17	Left handle guard
2	KZ-10MTH-LB-02	Motor	18	KZ-10MTH-LB-18	Speed switch
3	KZ-10MTH-LB-03	Head Screw	19	KZ-10MTH-LB-19	Rocker Switch
4	KZ-10MTH-LB-04	Friction plate	20	KZ-10MTH-LB-20	Controller
5	KZ-10MTH-LB-05	Cross round head self tapping	21	KZ-10MTH-LB-21	Pin
6	KZ-10MTH-LB-06	Layering	22	KZ-10MTH-LB-22	Socket
7	KZ-10MTH-LB-07	Screw	23	KZ-10MTH-LB-23	Right hand handle bar
8	KZ-10MTH-LB-08	Gasket	24	KZ-10MTH-LB-24	Screw
9	KZ-10MTH-LB-09	Lock Nut	25	KZ-10MTH-LB-25	Cross round head tapping
10	KZ-10MTH-LB-10	Upper blade	26	KZ-10MTH-LB-26	Tea Collecting Plate
11	KZ-10MTH-LB-11	EccentricWhel	27	KZ-10MTH-LB-27	Friction block
12	KZ-10MTH-LB-12	Lower Blade	28	KZ-10MTH-LB-28	Gasket
13	KZ-10MTH-LB-13	Gearbox Lower Housing	29	KZ-10MTH-LB-29	Flat Gasket
14	KZ-10MTH-LB-14	Screw	30	KZ-10MTH-LB-30	Screw
15	KZ-10MTH-LB-15	Screw	31	KZ-10MTH-LB-31	Cross round head tapping
16	KZ-10MTH-LB-16	Screw	32	KZ-10MTH-LB-32	Protection Cover